

## CLAIM AMENDMENTS

Claims 1-23 (canceled).

Claim 24 (new): A wall hanged AV arrangement for mounting on a wall surface to communicatively connect with a video device, wherein the wall hanged AV arrangement comprises:

an artistic casing having a front artistic surface, a rear wall installing surface, a side peripheral surface, and an operation cavity defining within said front artistic surface, said rear wall installing surface, and said side peripheral surface, wherein a size of each of said front artistic surface and said rear wall installing surface is larger than a width of said side peripheral surface to minimize a thickness of said artistic casing so as to form a slim structure of said artistic casing;

an audio device comprising an audio unit received in said operation cavity, an audio outlet which is provided on said side peripheral surface of said artistic casing and is electrically connected to said audio unit, an inserting slot formed on said peripheral surface of said artistic casing to communicate with said operation cavity thereof, and a signal reader received in said operation cavity for reading audio signal and video signal of an external data medium inserting through said inserting slot so as to output said audio signal and video signal to said video device; and

a wall mounting unit comprising a plurality of wall attaching arms spacedly and outwardly extended from said peripheral surface of said artistic casing for suspendedly mounting said artist casing on said wall surface at a position that said rear wall installing surface of said artistic casing is aligned with said wall surface and said front artistic surface of said artistic casing is positioned with respect to said wall surface at a planar manner.

Claim 25 (new): The wall hanged AV arrangement, as recited in claim 24, wherein said audio device further comprises an audio generator which is received in said operation cavity of said artistic casing and electrically connected with said audio unit for outputting said audio signal as audible sound through said front artistic surface of said artistic casing.

Claim 26 (new): The wall hanged AV arrangement, as recited in claim 24, further comprises a wireless communication device connected with said audio device for wirelessly connecting with said video device, wherein said wireless communication device comprises an audio signal transmitter provided at said audio outlet to transmit an audio signal from said audio unit and an audio signal receiver, which is adapted for operatively connecting to said video device, wirelessly communicating with said audio signal transmitter to receive said audio signal therefrom in a wireless manner for wirelessly communicating said audio device with said video device.

Claim 27 (new): The wall hanged AV arrangement, as recited in claim 25, further comprises a wireless communication device connected with said audio device for wirelessly connecting with said video device, wherein said wireless communication device comprises an audio signal transmitter provided at said audio outlet to transmit an audio signal from said audio unit and an audio signal receiver, which is adapted for operatively connecting to said video device, wirelessly communicating with said audio signal transmitter to receive said audio signal therefrom in a wireless manner for wirelessly communicating said audio device with said video device.

Claim 28 (new): The wall hanged AV arrangement, as recited in claim 26, wherein said audio signal transmitter comprises a radio frequency transmitting device adapted to send and receive said audio signal in form of radio frequency, wherein said radio frequency transmitting device functions as a wireless communication link between said audio signal receiver and said audio unit for wirelessly communicating said audio device with said video device.

Claim 29 (new): The wall hanged AV arrangement, as recited in claim 27, wherein said audio signal transmitter comprises a radio frequency transmitting device adapted to send and receive said audio signal in form of radio frequency, wherein said radio frequency transmitting device functions as a wireless communication link between said audio signal receiver and said audio unit for wirelessly communicating said audio device with said video device.

Claim 30 (new): The wall hanged AV arrangement, as recited in claim 28, wherein said audio signal receiver is a wireless signal receiving device adapted to wirelessly receive said audio signal in form of radio frequency from said audio signal

transmitter, wherein said audio signal receiver is automatically tuned to match with said radio frequency of said audio signal transmitter to wirelessly communicate with said audio unit.

Claim 31 (new): The wall hanged AV arrangement, as recited in claim 29, wherein said audio signal receiver is a wireless signal receiving device adapted to wirelessly receive said audio signal in form of radio frequency from said audio signal transmitter, wherein said audio signal receiver is automatically tuned to match with said radio frequency of said audio signal transmitter to wirelessly communicate with said audio unit.

Claim 32 (new): The wall hanged AV arrangement, as recited in claim 28, wherein said audio signal receiver is a wireless signal receiving device adapted to wirelessly receive said audio signal in form of radio frequency from said audio signal transmitter, wherein said audio signal receiver is manually tuned to match with said radio frequency of said audio signal transmitter to wirelessly communicate with said audio unit.

Claim 33 (new): The wall hanged AV arrangement, as recited in claim 29, wherein said audio signal receiver is a wireless signal receiving device adapted to wirelessly receive said audio signal in form of radio frequency from said audio signal transmitter, wherein said audio signal receiver is manually tuned to match with said radio frequency of said audio signal transmitter to wirelessly communicate with said audio unit.

Claim 34 (new): The wall hanged AV arrangement, as recited in claim 26, wherein said audio signal transmitter comprises an infrared transmitting device adapted to send and receive said audio signal in form of infrared signal, wherein said audio signal transmitter functions as a wireless communication link between said audio signal receiver and said audio unit for wirelessly communicating said audio device with said video device.

Claim 35 (new): The wall hanged AV arrangement, as recited in claim 27, wherein said audio signal transmitter comprises an infrared transmitting device adapted to send and receive said audio signal in form of infrared signal, wherein said audio signal transmitter functions as a wireless communication link between said audio signal

receiver and said audio unit for wirelessly communicating said audio device with said video device.

Claim 36 (new): The wall hanged AV arrangement, as recited in claim 34, wherein said audio signal receiver is a wireless signal receiving device adapted to wirelessly receive said audio signal in form of infrared signal from said audio signal transmitter, wherein said audio signal receiver is automatically programmed to match with said infrared signal of said audio signal transmitter to wirelessly communicate with said audio unit.

Claim 37 (new): The wall hanged AV arrangement, as recited in claim 35, wherein said audio signal receiver is a wireless signal receiving device adapted to wirelessly receive said audio signal in form of infrared signal from said audio signal transmitter, wherein said audio signal receiver is automatically programmed to match with said infrared signal of said audio signal transmitter to wirelessly communicate with said audio unit.

Claim 38 (new): The wall hanged AV arrangement, as recited in claim 34, wherein said audio signal receiver is a wireless signal receiving device adapted to wirelessly receive said audio signal in form of infrared signal from said audio signal transmitter, wherein said audio signal receiver is manually programmed to match with said infrared signal of said audio signal transmitter to wirelessly communicate with said audio unit.

Claim 39 (new): The wall hanged AV arrangement, as recited in claim 35, wherein said audio signal receiver is a wireless signal receiving device adapted to wirelessly receive said audio signal in form of infrared signal from said audio signal transmitter, wherein said audio signal receiver is manually programmed to match with said infrared signal of said audio signal transmitter to wirelessly communicate with said audio unit.